GREENMAX

connecting green and infrastructure

Foreword

Our GreenMax products are used extensively to protect and establish newly planted trees and also to invigorate and enhance the growth, life, and value of existing trees. To allow you to plant in almost any environment, we also specialise in a wide range of tree planting containers, from timber, concrete, to steel and also offer street furniture. Customised products, in any RAL colour, LED light systems and personal logos are all possible. Please visit our website for the complete GreenMax product range and product descriptions: www.greenmax.eu.

GreenMax is gespecialiseerd in de groeiplaatsinrichting voor nieuwe en bestaande bomen. Daarnaast leveren wij een uitgebreid assortiment aan boombakken, plantenbakken en straatmeubilair. Maatwerk, RAL kleuren, LED verlichting en logo's behoren tot de mogelijkheden. Bezoek ook onze website voor ons complete assortiment en productbeschrijvingen in uw eigen taal: www.greenmax.eu.

GreenMax- dieser Name steht für innovative Spezialprodukte bei urbanen Baumpflanzungen. Daneben liefern wir auch eine breite Palette zusätzlicher Produkte für den urbanen Raum: So z.B. Baumkübel, Pflanzgefäße und Stadtmöblierungen. Dabei gehen wir ganz spezifisch auf Ihre Wünschen ein. So können wir Ihnen individuell RAL-Farben, LED-Beleuchtung und Logos anbieten. Besuchen Sie unsere Webseite für eine komplette Produktübersicht- und Beschreibungen in Ihrer Landessprache: www.greenmax.eu.

GreenMax est spécialisé dans l'aménagement des zones de croissance des arbres - qu'ils soient nouveaux ou déjà existants - tout particulièrement dans l'environnement urbain. Nous fournissons également une large gamme de bacs à plantes, de jardinières et de mobilier urbain. De la personnalisation, des couleurs RAL, des lumières à LED et des logos font partie des possibilités. Visitez notre site Web pour la gamme complète, ainsi que des descriptions de nos produits dans la langue de votre choix: www.greenmax.eu.



Contents

Fiberglass	4
Fiberglass High Gloss	5
Hardwood	6
Galvanized Steel	7
Corten Steel	8
Aluminium	10
Polymer Concrete	12
EPS/Polyurea	14

In the catalogue we have used symbols to indicate the options and/or properties per product. Below please find an overview or what each symbol signifies.

- Ecological
- Recyclable
- Wheels possible
- RAL-colour possible
- LED lighting possible
- Logo and/or inscription possible
- Scupper pipe

Fiberglass

				KG
Platanus PB1	2000	2000	600 mm	49
Platanus PB2	1600	1600	600 mm	36
Platanus PB3	1400	1400	600 mm	30
Platanus PB4	1200	1200	1200 mm	39
Platanus PB5	1200	1200	1000 mm	34
Platanus PB6	1200	1200	800 mm	29
Platanus PB7	1200	1200	600 mm	24
Platanus PB8	1200	1200	400 mm	19
Platanus PB9	1000	1000	1000 mm	27
Platanus PB10	1000	1000	800 mm	23
Platanus PB11	1000	1000	600 mm	19
Platanus PB12	1000	1000	400 mm	15
Platanus PB13	800	800	800 mm	18
Platanus PB13.1	800	800	600 mm	14
Platanus PB14	700	700	700 mm	14
Platanus PB15	600	600	600 mm	10
Platanus PB16	500	500	500 mm	7
Platanus PB17	400	400	400 mm	4

				KG
Platanus PB18	500	500	1000 mm	12
Platanus PB19	400	400	1200 mm	11
Platanus PB20	400	400	1000 mm	9
Platanus PB21	400	400	800 mm	8

				KG
Platanus PB22	2000	500	600 mm	22
Platanus PB23	1500	500	600 mm	17

Platanus PB24	1200	500	600 mm	14
Platanus PB24.1	900	500	600 mm	11
Platanus PB25	900	250	800 mm	11
Platanus PB26	1000	500	500 mm	11
Platanus PB27	1000	400	400 mm	8
Platanus PB27.1	1500	400	400mm	12
Platanus PB28	2300	500	400 mm	19

			KG
Parrotia PE1.1	1500	800 mm	20
Parrotia PE1	1200	800 mm	13
Parrotia PE2	950	700 mm	9
Parrotia PE3	890	1000 mm	11
Parrotia PE4	630	520 mm	5
Parrotia PE5	550	760 mm	5

			KG
Prunus PC1	500	590 mm	4
Prunus PC2	500	900 mm	5
Prunus PC3	720	840 mm	8
Prunus PC4	800	1000 mm	11
Prunus PC5	1000	950 mm	12
Prunus PC6	700	1120 mm	11

			KG
Pyrus PD1	2000	400 mm	17
Pyrus PD2	1530	340 mm	12
Pyrus PD3	1200	400 mm	9

			KG
Populus PJ1	1500	600 mm	25
Populus PJ2	1200	600 mm	18

			KG
Photinia PM1	1200	200 mm	7
Photinia PM2	2000	400 mm	18

High Gloss:

Platanus PBH10	1000	1000	800 mm	23
Platanus PBH11	1000	1000	600 mm	19
Platanus PBH13	800	800	800 mm	18
Platanus PBH14	700	700	700 mm	14
Platanus PBH15	600	600	600 mm	10
Platanus PBH20	400	400	1000 mm	9
Platanus PBH21	400	400	800 mm	8
Platanus PBH24	1200	500	600 mm	14

			KG
Prunus PCH1	500	590 mm	4
Prunus PCH2	500	900 mm	5
Prunus PCH3	720	840 mm	8
Prunus PCH4	800	1000 mm	11
Prunus PCH6	700	1120 mm	11

Hardwood

Hardwood

				KG
Halesia HR1	1200	1200	950 mm	109
Halesia HR2	1000	1000	950 mm	87
Halesia HR3	800	800	800 mm	52
Halesia HR4	600	600	600 mm	29

				KG
Halesia HR5	2000	500	600 mm	65
Halesia HR6	1500	500	600 mm	48
Halesia HR7	1200	500	600 mm	38

Galvanized steel

				KG
Salix VS01	1400	1400	1000 mm	215
Salix VS02	1200	1200	1000 mm	172
Salix VS04	1000	1000	800 mm	139
Salix VS05	800	800	800 mm	109
Salix VS07	600	600	600 mm	60

				KG
Salix VS09	2000	500	600 mm	130
Salix VS10	1500	500	600 mm	105
Salix VS11	1200	500	600 mm	89



Corten Steel

				KG
Carpinus CA1	1400	1400	800 mm	112
Carpinus CA2	1200	1200	800 mm	93
Carpinus CA3	1000	1000	1000 mm	89
Carpinus CA4	1000	1000	800 mm	75
Carpinus CA4.1	1000	1000	600 mm	60
Carpinus CA5	800	800	800 mm	54
Carpinus CA5.1	800	800	600 mm	44
Carpinus CA6	700	700	700 mm	42
Carpinus CA7	600	600	600 mm	31
Carpinus CA8	500	500	500 mm	22
Carpinus CA9	2000	500	600 mm	69
Carpinus CA10	1500	500	600 mm	54
Carpinus CA11	1200	500	600 mm	45
Carpinus CA12	900	300	800 mm	37
Carpinus CA13	500	500	1000 mm	38
Carpinus CA14	400	400	1000 mm	30
Carpinus CA15	400	400	800 mm	25
Carpinus CA16	400	400	400 mm	15
Carpinus CA17	300	300	600 mm	14
Carpinus CA18	300	300	300 mm	8

			KG
Corycus CC1	1000	800 mm	62
Corycus CC2	800	800 mm	47
Corycus CC3	600	600 mm	28
Corycus CC4	500	500 mm	14
Corycus CC5	400	400 mm	11
Corycus CC6	300	300 mm	7

			KG
Cersis CS1	1500	1500 mm	145
Cersis CS2	1200	1200 mm	90
Cersis CS3	1000	1000 mm	59
Cersis CS4	800	800 mm	25

			KG
Cedrus CT1	1000	1000 mm	69
Cedrus CT2	800	800 mm	45
Cedrus CT3	600	600 mm	26



Aluminium

				KG
Acer AF1	1400	1400	800 mm	58
Acer AF2	1200	1200	800 mm	47
Acer AF3	1000	1000	1000 mm	45
Acer AF4	1000	1000	800 mm	38
Acer AF4.1	1000	1000	600 mm	30
Acer AF5	800	800	800 mm	29
Acer AF5.1	800	800	600 mm	23
Acer AF6	700	700	700 mm	22
Acer AF7	600	600	600 mm	16
Acer AF8	500	500	500 mm	12
Acer AF9	2000	500	600 mm	37
Acer AF10	1500	500	600 mm	29
Acer AF11	1200	500	600 mm	24
Acer AF12	900	300	800 mm	20
Acer AF13	500	500	1000 mm	20
Acer AF14	400	400	1000 mm	16
Acer AF15	400	400	800 mm	13

			KG
Alnus AM1	1000	1000 mm	36
Alnus AM2	800	800 mm	24
Alnus AM3	600	600 mm	13

			KG
Aesculus AC1	1000	800 mm	31
Aesculus AC2	800	800 mm	23
Aesculus AC3	600	600 mm	13

Aluminium

Polymer Concrete

	⌀		KG
Betula BS1	2000	340 mm	269
Betula BS2	1500	340 mm	125
Betula BS4	1800	450 mm	350
Betula BS5	2350	600 mm	490

	⌀		KG
Betula BS3	2200	400 mm	404

Polymer hard stone

Polymer concrete

	⌀		KG
Broussonetia BP1	1000	600 mm	120
Broussonetia BP2	600	900 mm	70

	⌀		KG
Buddleja BR1	1200	900 mm	220
Buddleja BR2	1500	1200 mm	360

	⌀		KG
Berberis BD1	1800	400 mm	378
Berberis BC1	2350	400 mm	483

Baccharis	24 models available



EPS/Polyurea

				KG
Square	variable	variable	variable	variable

Extra options: - Logo and/or inscription
- Holes for forklift
- LED lights

			KG
Circle Shaped	variable	variable	variable

Extra options: - Logo and/or inscription
- Holes for forklift
- LED lights

			KG
Custom-Made	variable	variable	variable

EPS/Polyurea Tree boxes are even available in the shape of a golf ball or a flower pot.
It is also possible to design a tree box that includes an inscription or logo.

Fibreglass: Our Fibre Glass planters are manufactured in high-quality reinforced fibre glass, with additional reinforcement to the corners. The standard colour used is anthracite but any RAL-colour is possible. The quality of all of our fibre glass planters is enhanced through the colouring, which runs throughout the entire material. The upper edge has been folded twice, which gives this planter a splendid timeless appearance. We recommend that the planter should be cleaned at least twice a year. Please note that some cleansing agents may damage or affect the material, only the use of neutral agents with a Ph-Value of between 6 and 8 are advised. Also the product that you use to apply cleaning solution must be carefully chosen to ensure that it does not scratch the planter. Do not clean with steel wool, sand paper, solvents or any other abrasive material, cleaning with a pressure washer can also cause damage.

EPS/Polyurea: The durable tree boxes designed by tree professionals for professionals in the green sector. If trees located on a permanent location are not an option for you, tree boxes will offer a good solution.
Tree boxes produced from concrete are not easy to move and tree boxes made from steel or wood are susceptible for vandalism. Both materials also offer limited possibilities to create different shapes and sizes.
The EPS/Polyurea tree boxes offer an excellent solution. The boxes are made from polystyrene (foam) but are as stable and strong as steel tree boxes. But are much lighter and therefore more flexible to use. It is very easy to move the boxes with a fork truck or crane.
The tree boxes are available in all shapes and sizes. They are even available in the shape of a golf ball or a flower pot. It is also possible to design a tree box that includes an inscription or logo.

Polymer Concrete: Cast composite stone is ideal for use outdoors. The material has a very high compressive strength and bending-resistance, many times higher than fibre reinforced concrete. The material consists of natural minerals mixed with binding agents, that are becoming increasingly recyclable. The planters are wear-resistant. The planters are also 100% watertight, and therefore also frost-proof. They have a compact structure, which prevents dirt from attaching; a proper downpour will clean the product. Colours: Dark grey natural stone and concrete colour.

Aluminium: As standard these planters have small feet of 15mm underneath each base. During the production process our aluminium planters are powder coated – firstly with a primer coat and then we finish it with a scratch resistant colour coating and on the inside of the planter we apply a special primer. All RAL-colours and customizations are possible. The upper edge has been folded twice, which gives this planter a splendid timeless and stout appearance. We recommend that the planter should be cleaned at least twice a year. Please note that some cleansing agents may damage or affect the material, only the use of neutral agents with a Ph-Value of between 6 and 8 are advised. Also the product that you use to apply cleaning solution must be carefully chosen to ensure that it does not scratch the planter. Do not clean with steel wool, sand paper, solvents or any other abrasive material, cleaning with a pressure washer can also cause damage. If the planter is slightly stained, we recommend using a glass cleaning agent with water.

Corten steel: Corten Steel is an indestructible material with a warm appearance and it is a strong and weather-resistant type of steel that covers itself with a protective layer of rust when it is exposed to the open air. This natural fixed coating of rust provides protection against further corrosion. The upper edge of all our Corten steel planters has been folded twice, which gives these planters a splendid timeless and stout appearance. During the weathering process the Corten Steel produces carbon run off or staining to adjacent materials such as stone or concrete. To reduce this possible staining, all Corten Steel products are supplied with small feet, lifting the product and preventing direct contact with the flooring material. After the initial reactive period Corten Steel will cure and self-seal with little to no carbon runoff. Standard material thickness is 2mm and we offer a made to measure service as well as our wide range of standard sizes.

- All Corten Steel products come as newly fabricated steel. It may take several weeks to achieve the rusty look once exposed to the elements.
- Good drainage of the planter is required. There may be no excess water in the planter. We do not recommend the use of hydro grains.
- Do not apply scupper pipes in the planter.
- It is important that the planter does not stand directly on the ground. That is why we produce the planters as standard with feet of 15 mm.
- Corten Steel produces carbon run off with possible staining to adjacent materials such as stone or concrete. It is advised that Corten Steel is not placed on any surface that may be damaged during the weathering process.

GREENMAX

Visitor address:
De Morgenstond 14
5473 HG
Heeswijk Dinther
The Netherlands
Tel:
0031 413 29 44 47
Fax:
0031 413 29 42 86

Postal address:
Postbus 43
5473 ZG
Heeswijk Dinther
The Netherlands

Email, quotations and requests:
info@greenmax.eu
Orders:
orders@greenmax.eu
Website:
www.greenmax.eu

GreenMax International:

The Netherlands | Germany | France | Belgium | Austria | Switzerland | Italy | Turkey | Greece | Luxembourg
Norway | Spain | Portugal | United Kingdom | Poland | Latvia | Russia | Denmark | Israel
United Arab Emirates | Finland | Lithuania | Czech Republic | Slovakia | America | Canada

2018